

TERMOMETRI - THERMOMETERS



UTENSILI KITCHEN UTENSILS
TERMOMETRI THERMOMETERS



P

Termometro arrosti
Meat roasting thermometer
Braten-Thermometer
Thermomètre à rôtir
Termometro para asado

art. ø cm. scala range
49705-00 5 1°C 0+120°C



P

Termometro arrosti
Meat roasting thermometer
Braten-Thermometer
Thermomètre à rôtir
Termometro para asado

art. ø cm. range
19705-00 5 +54+88°C



P

Termometro fritti
Cooking & frying thermometer
Back-Thermometer
Thermomètre à friture
Termometro para frituras

art. ø cm. scala range
49706-00 5 10°C 0+300°C



P

Termometro fritti
Cooking & frying thermometer
Back-Thermometer
Thermomètre à friture
Termometro para frituras

art. ø cm. scala range
19706-00 5 10°C +38+205°C



P

Mini-termometri cucina, set 4 pz.
Cooking thermometers, 4-pcs set
Kochthermometer, Satz 4 Stk.
Thermomètres de cuisson, set 4 pcs
Termometro de cocina, juego 4 pcs

art. ø cm. l.
19710-04 2,6 6



Termometro per zucchero
Sugar thermometer
Zuckerthermometer
Thermomètre à sucre
Termometro para azúcar

art. l. cm. scala range
47843-00 30 1°C +80+200°C
Guaina inox. - Stainless steel housing.



P

Termometro per forno, inox
Oven thermometer, s/s
Ofenthermometer, 18-10 Edelstahl
Thermomètre à four, inox
Termometro para horno, inox

art. ø cm. scala range
19709-00 7 10°C +38+316°C



Termometro frigo/freezer, ABS
Fridge/freezer thermometer, ABS
Kühlschrankthermometer, ABS
Thermomètre à réfrigérateur, ABS
Termometro para congelador, ABS

art. ø cm. scala range
49885-02 5,2 1°C -30+30°C



P

Termometro frigo/freezer, inox
Fridge/freezer thermometer, s/s
Kühlschrankthermometer, Edelstahl
Thermomètre à réfrigérateur, inox
Termometro para congelador, inox

art. ø cm. scala range
19702-00 6 1°C -29+27°C



Termometro digitale, ABS
Digital thermometer, ABS
Digitalthermometer, ABS
Thermomètre digitale, ABS
Termometro digital, ABS

art. dim. cm. scala range
49887-00 1,5x5x7 0,1°C -50+70°C



Termometro da muro
Room/wall thermometer
Wandthermometer
Thermomètre à mur
Termometro de pared

art. l. cm. scala range
49702-00 17,5 1°C -30+50°C



P

Termometro da tasca
Pocket thermometer
Taschenthalermometer
Thermomètre à poche
Termometro digital

art. l. cm. scala range
49701-00 19 0,1°C -50+150°C

UTENSILI KITCHEN UTENSILS



Termometro da tasca
Pocket thermometer
Taschenthermometer
Thermomètre à poche
Termometro digital

art.	l. cm.	scala	range
19701-00	15	0,1°C	-50+150°C



Termometro digitale
Digital thermometer
Digitalthermometer
Thermomètre digitale
Termometro digital

art.	l. cm.	scala	range
49710-00	22,5	1°C	-50+300°C



Termometro digitale
Digital thermometer
Elektronisches Thermometer
Thermomètre digital
Termometro digital

art.	dim. cm.	scala	range
49715-00	15,5x4	1°C	-50+300°C



Termometro digitale
Digital thermometer
Elektronisches Thermometer
Thermomètre digital
Termometro digital

art.	dim. cm.	scala	range	col.
49880-10	15x5x2	0,1 or 1°C	-49,9+299,9°C	●
49880-11	15x5x2	0,1 or 1°C	-49,9+299,9°C	●
49880-12	15x5x2	0,1 or 1°C	-49,9+299,9°C	●
49880-13	15x5x2	0,1 or 1°C	-49,9+299,9°C	●
49880-14	15x5x2	0,1 or 1°C	-49,9+299,9°C	●
49880-15	15x5x2	0,1 or 1°C	-49,9+299,9°C	○



Termometro digitale
Digital thermometer
Elektronisches Thermometer
Thermomètre digital
Termometro digital

art.	dim. cm.	scala	range
49716-00	6,5x9,5	1°C	-50+200°C



Termometro a infrarossi
Infrared probe thermometer
Infrarot-Thermometer
Thermomètre infrarouge
Termometro infrarrojo

art.	dim. cm.	scala	range
49884-08	4x7	0,1°C	-60+500°C



Sonda per art. 49884-08
Probe for item 49884-08
Sonde für Art.-Nr. 49884-08
Sonde pour réf. 49884-08
Sonda para art. 49884-08

art.	ø mm.	l.	max
49882-01	3,3	130	+250°C

Ideale per liquidi e cibi semisolidi.
Suitable for liquids and semisolid foods.



Sonda per art. 49884-08
Probe for item 49884-08
Sonde für Art.-Nr. 49884-08
Sonde pour réf. 49884-08
Sonda para art. 49884-08

art.	ø mm.	l.	max
49882-02	1,8	130	+250°C

Ideale per pesce, gamberoni e altri cibi delicati. - Suitable for fish, prawns and other soft delicate foods.



N

Termometro digitale
Digital thermometer
Digitalthermometer
Thermomètre digital
Termometro digital

art. dim. cm. scala range
49883-00 13x5,5x2,5 0,1°C -50+300°C

Involucro ABS con additivi "Biomaster" che aiutano a ridurre la crescita batterica. Sonda alimentare permanente da 13 cm ed 1 mt di cavo PU a spirale. - ABS case that contains "Biomaster", additive to reduce bacterial growth. Supplied with a permanently attached food penetration probe with a 13 cm pointed s/s stem and 1mt coiled PU lead.



N

Termometro a infrarossi
Infrared probe thermometer
Infrarot-Thermometer
Thermomètre infrarouge
Termometro infrarrojo

art. dim. cm. scala range
49717-00 17,5x4x7,2 1°C -50+400°C



Termometro a infrarossi
Infrared thermometer
Infrarot-Thermometer
Thermomètre infrarouge
Termometro infrarrojo

art. dim. cm. scala range
49984-10 3x5x15 1°C -30+200°C



Termometro a infrarossi/sonda
Infrared thermometer with probe
Infrarot u. Sonde Thermometer
Thermomètre infrarouge à sonde intégrée
Termometro infrarrojo con sonda integrada

art. dim. cm. scala range
49984-12 3x5x16 1°C -30+200°C IR
-40+200°C TC



N

Timer/termometro da forno
Oven timer/cooking thermometer
Digitalkochalarm
Minuterie digitale
Timer digital

art. dim. cm. scala range
49718-00 13x7,5x2 1°C 0+300°C

Timer 23h 59min 59sec. Con allarme acustico. Fornito con sonda ad alta temperatura e 2 mt. di cavo. Penetrazione sonda 15 cm (ø4 mm). - Count down/up from/to 23h 59m 59 sec. With audible high alarm. Supplied with a high temperature probe and a 2 mt. s/s braided lead. Probe insertion 15 cm.



Timer digitale, COUNT DOWN/UP
Digital timer, four-channels
Digitalkochalarm, vierfach
Minuterie digitale, 4-T
Timer digital

art. dim. cm. h/min
49720-00 6,5x6,5 19/59



N

ORION Orologio da parete
Wall clock
Wanduhr
Horloge à paroi
Reloj de pared

art. ø cm.
41380-01 29

Metallo satinato, pila alcalina inclusa.
Satin alloy, battery included.



N

SILENT Orologio da parete
Wall clock
Wanduhr
Horloge à paroi
Reloj de pared

art. ø cm.
41380-02 30,5

Metallo, pila alcalina inclusa.
Alloy, battery included.



Misuratore di salinità
Salt tester
Salzinhalt-Messer
Testeur de salinité
Salinometro

art. l. cm. range
49730-00 22,5 0+100°C

Misura il tenore di sale nell'acqua di cottura/sughi. - For measuring salt content in cooking water/sauces, etc.